

Tracoe Kids Silcosoft – REF 373

Tracheostomy tube for children, with H2O cuff, proximal longer, made from silicone

Product Description

True greatness sometimes shows itself in small things. There are two tracheostomy tube product lines in our kids product group: the tried and trusted Tracoe Mini and the silicone tubes Tracoe Silcosoft. The tracheostomy tubes in both these lines have been developed especially for neonates, infants and children. We have focused particularly on the flange design and the use of comfortable materials.

Scope of Supply

- Obturator
- Neck strap
- Disconnection wedge



| General Information | |
|---------------------|---|
| Product line | Silcosoft |
| Legal manufacturer | Tracoe Medical GmbH Reichelsheimer Str. 1/3 55268 Nieder-Olm, Germany |
| Country of origin | Germany |
| Colour Coding | REF 373 PL |
| Handling | |
| Shelf life | 5 years, from date of production |
| Maximum Useful Life | 29 days, from first use |

| Material Specifications | |
|----------------------------|------------------|
| Material Cannula/Wire Coil | Silicone/Nitinol |
| Material Neck Flange | Silicone |
| Material Cuff | Silicone |
| Biocompatibility | EN ISO 10993-1 |
| | |

| Storage |
|---------|
| |

| Packaging | |
|-----------------------------|--------------------------------|
| Packaging unit | 1 piece |
| Weight | See Table |
| Dimensions (W x H x L) | 100 x 154 x 52 mm |
| Material outer packaging: | Cardboard box |
| Material sterile packaging: | PET blister with medical paper |

| Certification | |
|---------------------------------|--------------------------|
| Product classification acc. MDR | IIb |
| CE Marking | |
| GMDN | 35404 |
| Quality system certified to | EN ISO 13485 |
| FDA registration | Clearance Number K172720 |

PRODUCT DATA SHEET

Product Range

| Size | Order Number | ID | OD | A | C | TL | OB | BA | PL | Gross Weight | Global Trade Item Number |
|------|--------------|-----|-----|----|------|----|----|-----|------|--------------|--------------------------|
| | | mm | mm | mm | mm | mm | mm | ° | mm | g | |
| 2.5 | REF 373-2.5 | 2,5 | 4,4 | 9 | 29,0 | 38 | 40 | 120 | 63,2 | 170 | 4035324028467 |
| 3.0 | REF 373-3.0 | 3,0 | 4,9 | 10 | 29,0 | 39 | 41 | 120 | 54,2 | 156 | 4035324028542 |
| 3.5 | REF 373-3.5 | 3,5 | 5,4 | 11 | 29,0 | 40 | 43 | 120 | 65,2 | 155 | 4035324028559 |
| 4.0 | REF 373-4.0 | 4,0 | 6,0 | 12 | 29,0 | 41 | 44 | 120 | 66,2 | 169 | 4035324028566 |
| 4.5 | REF 373-4.5 | 4,5 | 6,6 | 13 | 29,0 | 42 | 45 | 120 | 67,2 | 159 | 4035324028573 |
| 5.0 | REF 373-5.0 | 5,0 | 7,3 | 15 | 29,0 | 44 | 48 | 120 | 69,2 | 158 | 4035324028580 |
| 5.5 | REF 373-5.5 | 5,5 | 8,4 | 17 | 29,0 | 46 | 50 | 120 | 71,2 | 158 | 4035324028597 |

Legend

- ID-IC** Inside diameter at bottom of inner cannula
- OD-OC bc** Outside diameter at bottom of outer cannula
- OD-OC bf** Outside diameter of outer cannula behind the flange
- TL** Length along centre line from start of neck flange to bottom of tube
- OB** Length along outer bend from start of neck flange to bottom of tube
- BA** Bending angle
- CD** Cuff diameter
- PL** Proximal longer

